

Question 1(a) [3 marks]

Define Operating System and give its goal.

Answer:

Operating System Definition: A program that acts as an interface between computer hardware and users, managing system resources and controlling program execution.

Goals of Operating System:

Goal	Description
Resource Management	Efficiently allocate CPU, memory, I/O devices
User Convenience	Provide easy-to-use interface
System Protection	Secure system from unauthorized access


Mnemonic: "RUS" - Resource management, User convenience, System protection

Question 1(b) [4 marks]

Give name Components of Computer System & Explain need of Operating system.

Answer:

Computer System Components:



Need of Operating System:

- **Resource Manager:** Controls hardware allocation
- **Interface Provider:** Easy communication between user and hardware
- **Security:** Protects system from threats
- **Error Handling:** Manages system errors efficiently

Mnemonic: "RISE" - Resource management, Interface, Security, Error handling

Question 1(c) [7 marks]

Explain below types of Operating system.

Answer:

I. Batch Operating System

Feature	Description
Processing	Jobs processed in batches without user interaction
Efficiency	High throughput, low user interaction
Example	IBM mainframes

II. Multiprogramming Operating System

Feature	Description
Concept	Multiple programs in memory simultaneously
CPU Usage	Better CPU utilization
Advantage	Reduced idle time

III. Time Sharing Operating System

Feature	Description
Time Slices	CPU time divided among users
Response	Quick response time
Example	Unix, Linux


Mnemonic: "BMT" - Batch (no interaction), Multiprogramming (many programs), Time-sharing (time slices)

Question 1(c) OR [7 marks]

Explain Linux Architecture & characteristics with its components.

Answer:

Linux Architecture:



Linux Characteristics:

Characteristic	Description
Open Source	Free and modifiable
Multiuser	Multiple users simultaneously
Multitasking	Multiple processes concurrently
Portable	Runs on various hardware

Components:

- **Kernel:** Core of operating system
- **Shell:** Command interpreter
- **File System:** Organizes data storage

Mnemonic: "COMP" - Core (kernel), Open source, Multiuser, Portable

Question 2(a) [3 marks]

Describe Process Control Block. And define (1) PID (2) stack pointer (3) program counter

Answer:

Process Control Block (PCB): Data structure containing process information for OS management.

Definitions:

Term	Definition
PID	Process Identifier - unique number for each process
Stack Pointer	Points to top of process stack
Program Counter	Contains address of next instruction

Mnemonic: "PSP" - PID (identifier), Stack pointer (top), Program counter (next)


Question 2(b) [4 marks]

Describe the Process Model and Process states

Answer:

Process Model: Conceptual representation of how processes are managed by OS.

Process States:



State	Description
New	Process being created
Ready	Waiting for CPU
Running	Executing instructions
Waiting	Waiting for I/O
Terminated	Process finished

Mnemonic: "NRRWT" - New, Ready, Running, Waiting, Terminated

Question 2(c) [7 marks]

Demonstrate Scheduling Algorithm:(I) First Come First Serve, (II) Shortest Job First

Answer:

I. First Come First Serve (FCFS)

Process	Arrival Time	Burst Time	Completion Time	Turnaround Time
P1	0	4	4	4
P2	1	3	7	6
P3	2	2	9	7

Average Turnaround Time = $(4+6+7)/3 = 5.67$

II. Shortest Job First (SJF)

Process	Arrival Time	Burst Time	Completion Time	Turnaround Time
P3	2	2	4	2
P2	1	3	7	6
P1	0	4	11	11

Average Turnaround Time = $(2+6+11)/3 = 6.33$

Mnemonic: "FS" - FCFS (First order), SJF (Shortest first)

Question 2(a) OR [3 marks]

Define Race condition, Mutual Exclusion

Answer:

Term	Definition
Race Condition	Multiple processes access shared data simultaneously causing inconsistent results
Mutual Exclusion	Only one process can access critical section at a time

Example: Two processes updating same bank account balance.

Mnemonic: "RM" - Race (simultaneous access), Mutual (one at a time)

Question 2(b) OR [4 marks]

Define all Throughput, Turnaround Time, Waiting Time, Response Time

Answer:

Term	Definition
Throughput	Number of processes completed per unit time
Turnaround Time	Total time from submission to completion
Waiting Time	Time spent waiting in ready queue
Response Time	Time from submission to first response

Formula Table:

Metric	Formula
Turnaround Time	Completion Time - Arrival Time
Waiting Time	Turnaround Time - Burst Time
Response Time	First CPU Time - Arrival Time

Mnemonic: "TTWR" - Throughput, Turnaround, Waiting, Response

Question 2(c) OR [7 marks]

Explain Round Robin Algorithm with example.

Answer:

Round Robin: Each process gets equal CPU time slice (quantum).

Example (Time Quantum = 2):

Process	Burst Time
P1	5
P2	3
P3	4

Execution Timeline:

0-----2-----4-----6-----8-----10-----12
P1 P2 P3 P1 P3 P1

Process	Completion Time	Turnaround Time
P1	12	12
P2	6	6
P3	10	10

Average Turnaround Time = $(12+6+10)/3 = 9.33$

Advantages:

- **Fair:** Equal time to all processes
- **Responsive:** Good for interactive systems

Mnemonic: "RR-FE" - Round Robin gives Fair and Equal time

Question 3(a) [3 marks]

Give File Access Methods type

Answer:

Access Method	Description
Sequential	Read/write in order from beginning
Direct	Access any record directly
Indexed	Use index to locate records

Mnemonic: "SDI" - Sequential (order), Direct (any), Indexed (index)

Question 3(b) [4 marks]

Give Deadlock characteristics and Describe: Deadlock Prevention, Deadlock Avoidance**Answer:****Deadlock Characteristics:**

Condition	Description
Mutual Exclusion	Resources cannot be shared
Hold and Wait	Process holds resource while waiting
No Preemption	Resources cannot be forcibly taken
Circular Wait	Circular chain of waiting processes

Deadlock Prevention: Remove any one of four conditions.**Deadlock Avoidance:** Use algorithms like Banker's algorithm to avoid unsafe states.**Mnemonic:** "MHNC" - Mutual exclusion, Hold and wait, No preemption, Circular wait**Question 3(c) [7 marks]****Explain the File Allocation Methods Contiguous, linked, indexed****Answer:****File Allocation Methods:**

Method	Description	Advantages	Disadvantages
Contiguous	Sequential blocks	Fast access	External fragmentation
Linked	Scattered blocks with pointers	No fragmentation	Slow random access
Indexed	Index block contains addresses	Fast random access	Extra overhead

Contiguous Allocation:

File A: [1][2][3][4][5]

Linked Allocation:

File A: [1]→[7]→[3]→[9]→NULL

Indexed Allocation:

Index Block: [1,3,7,9,12]

File blocks: [1][3][7][9][12]

Mnemonic: "CLI" - Contiguous (together), Linked (pointers), Indexed (index block)

Question 3(a) OR [3 marks]

Give knowledge Linux File System Structure

Answer:

Linux File System Hierarchy:

```

/
├── bin/      (System binaries)
├── etc/      (Configuration files)
├── home/     (User directories)
├── var/      (Variable data)
├── usr/      (User programs)
└── tmp/      (Temporary files)

```

Directory	Purpose
/bin	Essential system binaries
/etc	System configuration files
/home	User home directories

Mnemonic: "BEH" - Bin (binaries), Etc (config), Home (users)

Question 3(b) OR [4 marks]

Explain Critical Section and Semaphore with example.

Answer:

Critical Section: Code segment accessing shared resources.

Semaphore: Synchronization tool using counter variable.

Example:

```

# Binary Semaphore
wait(S):
    while S <= 0 do nothing
    S = S - 1

signal(S):
    S = S + 1

```

Critical Section Structure:

Section	Description
Entry	Request permission
Critical	Access shared resource
Exit	Release permission
Remainder	Other code

Mnemonic: "ECER" - Entry, Critical, Exit, Remainder

Question 3(c) OR [7 marks]

Define and explain Deadlock Avoidance, Deadlock Detection and Recovery

Answer:

Deadlock Avoidance:

- Use **Banker's Algorithm**
- Check if resource allocation leads to safe state

Deadlock Detection:

- Periodically check for deadlock using **Wait-for Graph**


Deadlock Recovery Methods:

Method	Description
Process Termination	Kill deadlocked processes
Resource Preemption	Take resources from processes
Rollback	Return to previous safe state

Banker's Algorithm Steps:

1. Check if request \leq available resources
2. Simulate allocation
3. Check if safe state exists

Wait-for Graph:



Mnemonic: "ADR-BWT" - Avoidance (Banker's), Detection (Wait-for), Recovery (Terminate)

Question 4(a) [3 marks]

Why Need of file Protection explain?

Answer:

Need for File Protection:

Reason	Description
Privacy	Protect personal data
Security	Prevent unauthorized access
Integrity	Maintain data consistency

Protection Mechanisms:

- **Access Control Lists (ACL)**
- **File Permissions** (Read, Write, Execute)
- **User Authentication**

Mnemonic: "PSI" - Privacy, Security, Integrity

Question 4(b) [4 marks]

Illustrate Program threats, System threats

Answer:

Program Threats:

Threat	Description
Virus	Self-replicating malicious code
Worm	Network-spreading malware
Trojan Horse	Disguised malicious program

System Threats:

Threat	Description
Denial of Service	Overwhelm system resources
Port Scanning	Find vulnerable services
Man-in-Middle	Intercept communications

Protection Methods:

- Antivirus Software
- Firewalls
- Regular Updates

Mnemonic: "VWT-DPM" - Virus, Worm, Trojan; DoS, Port scan, Man-in-middle

Question 4(c) [7 marks]


Briefly detailing Operating System security policies and procedures

Answer:

Security Policies:

Policy Type	Description
Access Control	Who can access what resources
Authentication	Verify user identity
Authorization	Determine user permissions
Audit	Monitor and log activities

Security Procedures:



Implementation Steps:

1. **User Registration** and credential setup
2. **Multi-factor Authentication**
3. **Role-based Access Control**
4. **Regular Security Audits**

Common Security Measures:

- **Password Policies**
- **Encryption**
- **Backup Procedures**
- **Incident Response Plans**

Mnemonic: "AAAA" - Access control, Authentication, Authorization, Audit

Question 4(a) OR [3 marks]

Give idea Authentication and Authorization.

Answer:

Term	Definition	Example
Authentication	Verify user identity	Username/password
Authorization	Determine access rights	File permissions

Authentication Methods:

- Password-based
- Biometric
- Token-based

Mnemonic: "AA" - Authentication (who you are), Authorization (what you can do)

Question 4(b) OR [4 marks]

Explain Operating System security policies and procedures

Answer:

Security Policies Framework:

Component	Purpose
User Management	Control user accounts
Data Protection	Secure sensitive information
Network Security	Protect communications
System Monitoring	Detect threats

Implementation Procedures:

1. Risk Assessment
2. Policy Development
3. Training Programs
4. Regular Reviews

Mnemonic: "UDNS" - User management, Data protection, Network security, System monitoring

Question 4(c) OR [7 marks]

Detailing the Security measures in Operating System

Answer:


Comprehensive Security Measures:

Layer	Security Measures
Physical	Server room access, biometric locks
Network	Firewalls, VPN, intrusion detection
System	Antivirus, patches, access controls
Application	Input validation, secure coding
Data	Encryption, backup, integrity checks

Access Control Matrix:

User/Role	File A	File B	Printer
Admin	RWX	RWX	RWX
User1	RW-	R--	-W-
Guest	R--	---	---

Security Implementation Timeline:



Monitoring Tools:

- Log Analysis
- Intrusion Detection Systems
- Vulnerability Scanners

Mnemonic: "PNSAD" - Physical, Network, System, Application, Data security

Question 5(a) [3 marks]

Give five Basic commands: calendar, date

Answer:

Basic Linux Commands:

Command	Function	Example
cal	Display calendar	cal 2024
date	Show current date/time	date +%d/%m/%Y
who	Show logged users	who
pwd	Print working directory	pwd
clear	Clear screen	clear

Command Examples:

```
# Display calendar for specific month
cal 6 2024

# Format date output
date "+%A, %B %d, %Y"
```

Mnemonic: "CDWPC" - Cal, Date, Who, Pwd, Clear

Question 5(b) [4 marks]

Explain Linux File and Directory Commands: ls, cat, mkdir, rmdir, pwd.

Answer:

File and Directory Commands:

Command	Function	Syntax	Example
ls	List directory contents	ls [options] [path]	ls -la
cat	Display file content	cat filename	cat file.txt
mkdir	Create directory	mkdir dirname	mkdir newdir
rmdir	Remove empty directory	rmdir dirname	rmdir olddir
pwd	Print working directory	pwd	pwd

Usage Examples:


```
# List files with details
ls -l /home/user

# Create multiple directories
mkdir -p dir1/dir2/dir3

# Display file with line numbers
cat -n document.txt
```

Common Options:

- `ls -l`: Long format
- `ls -a`: Show hidden files
- `mkdir -p`: Create parent directories

Mnemonic: "LCMRP" - List, Cat, Mkdir, Rmdir, Pwd

Question 5(c) [7 marks]

Understand and apply control statements Write a shell script to perform given operations: Write a shell script to find maximum number among three numbers.

Answer:

Shell Script for Maximum of Three Numbers:

```
#!/bin/bash
# Script to find maximum of three numbers

echo "Enter three numbers:"
read -p "First number: " num1
read -p "Second number: " num2
read -p "Third number: " num3

# Method 1: Using if-elif-else
if [ $num1 -ge $num2 ] && [ $num1 -ge $num3 ]; then
    max=$num1
elif [ $num2 -ge $num1 ] && [ $num2 -ge $num3 ]; then
    max=$num2
else
    max=$num3
fi

echo "Maximum number is: $max"

# Method 2: Using nested if
if [ $num1 -gt $num2 ]; then
    if [ $num1 -gt $num3 ]; then
        echo "Maximum: $num1"
    else
```

```

        echo "Maximum: $num3"
    fi
else
    if [ $num2 -gt $num3 ]; then
        echo "Maximum: $num2"
    else
        echo "Maximum: $num3"
    fi
fi
fi

```

Control Statements Used:

Statement	Purpose
if-elif-else	Multiple condition checking
read	User input
echo	Output display
Comparison operators	-ge , -gt , -lt

Comparison Operators:

- -eq: Equal to
- -ne: Not equal to
- -gt: Greater than
- -ge: Greater than or equal to
- -lt: Less than
- -le: Less than or equal to

Mnemonic: "IER" - If (condition), Echo (output), Read (input)

Question 5(a) OR [3 marks]

What is Linux Process commands: top, ps, kill

Answer:

Linux Process Commands:

Command	Function	Usage
top	Display running processes	top
ps	Show process status	ps aux
kill	Terminate process	kill PID

Command Details:**top command:**

- Shows real-time process information
- CPU and memory usage
- Load average

ps command options:

- `ps aux`: All processes with details
- `ps -ef`: Full format listing

kill command:

- `kill -9 PID`: Force kill process
- `killall process_name`: Kill by name

Mnemonic: "TPK" - Top (real-time), Ps (status), Kill (terminate)

Question 5(b) OR [4 marks]

Linux File and Directory Commands: rm, mv, split, diff, grep

Answer:

Advanced File Commands:

Command	Function	Syntax	Example
<code>rm</code>	Remove files/directories	<code>rm [options] file</code>	<code>rm -rf folder</code>
<code>mv</code>	Move/rename files	<code>mv source dest</code>	<code>mv old.txt new.txt</code>
<code>split</code>	Split large files	<code>split -l lines file</code>	<code>split -l 100 data.txt</code>
<code>diff</code>	Compare files	<code>diff file1 file2</code>	<code>diff old.txt new.txt</code>
<code>grep</code>	Search text patterns	<code>grep pattern file</code>	<code>grep "error" log.txt</code>

Usage Examples:

```
# Remove directory recursively
rm -rf /tmp/oldfiles

# Move and rename
mv /home/user/doc.txt /backup/document.txt

# Split file into 50-line chunks
split -l 50 largefile.txt chunk_
```

```
# Find differences between files
diff -u original.txt modified.txt

# Search for pattern in multiple files
grep -r "TODO" /project/src/
```

Common Options:

- `rm -i`: Interactive mode
- `mv -i`: Prompt before overwrite
- `grep -i`: Case insensitive search

Mnemonic: "RMSDG" - Remove, Move, Split, Diff, Grep

Question 5(c) OR [7 marks]

Write a shell script to read five numbers from user and find average of five numbers.

Answer:

Shell Script for Average of Five Numbers:

```
#!/bin/bash
# Script to calculate average of five numbers

echo "=== Average Calculator ==="
echo "Enter five numbers:"

# Read five numbers
read -p "Enter number 1: " num1
read -p "Enter number 2: " num2
read -p "Enter number 3: " num3
read -p "Enter number 4: " num4
read -p "Enter number 5: " num5

# Calculate sum
sum=$((num1 + num2 + num3 + num4 + num5))

# Calculate average
average=$((sum / 5))

# Display results
echo "====="
echo "Numbers entered: $num1, $num2, $num3, $num4, $num5"
echo "Sum: $sum"
echo "Average: $average"
echo "====="

# Enhanced version with decimal precision
sum_float=$(echo "$num1 + $num2 + $num3 + $num4 + $num5" | bc)
```

```
avg_float=$(echo "scale=2; $sum_float / 5" | bc)
echo "Precise Average: $avg_float"
```

Alternative Method using Arrays:

```
#!/bin/bash
# Using array approach

declare -a numbers
sum=0

echo "Enter 5 numbers:"
for i in {0..4}; do
    read -p "Number $((i+1)): " numbers[i]
    sum=$((sum + numbers[i]))
done

average=$((sum / 5))

echo "Numbers: ${numbers[@]}"
echo "Sum: $sum"
echo "Average: $average"
```

Script Features:

Feature	Description
Input Validation	Check for numeric input
User-friendly Output	Clear formatting
Array Usage	Store multiple values
Arithmetic Operations	Sum and division

Mathematical Operations in Bash:

- `$((expression))`: Integer arithmetic
- `bc`: Calculator for floating point
- `expr`: Expression evaluation

Mnemonic: "RSAR" - Read (input), Sum (add), Average (divide), Result (output)