

## Question 1(a) [3 marks]

Define the following terms: (1) Artificial Intelligence (2) Expert System.

Answer:

Term	Definition
<b>Artificial Intelligence</b>	AI is a branch of computer science that creates machines capable of performing tasks that typically require human intelligence, such as learning, reasoning, and problem-solving.
<b>Expert System</b>	An expert system is a computer program that uses knowledge and inference rules to solve problems that normally require human expertise in a specific domain.

- **AI characteristics:** Learning, reasoning, perception
- **Expert system components:** Knowledge base, inference engine

**Mnemonic:** "AI Learns, Expert Advises"

## Question 1(b) [4 marks]

Compare Biological Neural Network and Artificial Neural Network.

Answer:

Aspect	Biological Neural Network	Artificial Neural Network
<b>Processing</b>	Parallel processing	Sequential/parallel processing
<b>Speed</b>	Slow (milliseconds)	Fast (nanoseconds)
<b>Learning</b>	Continuous learning	Batch/online learning
<b>Storage</b>	Distributed storage	Centralized storage

- **Biological:** Complex, fault-tolerant, self-repairing
- **Artificial:** Simple, precise, programmable


**Mnemonic:** "Bio is Complex, AI is Simple"

## Question 1(c) [7 marks]

Explain types of AI with its applications.

Answer:

Type of AI	Description	Applications
<b>Narrow AI</b>	AI designed for specific tasks	Voice assistants, recommendation systems
<b>General AI</b>	AI with human-level intelligence	Not yet achieved
<b>Super AI</b>	AI exceeding human intelligence	Theoretical concept



- **Current focus:** Narrow AI dominates today's applications
- **Future goal:** Achieving General AI safely

**Mnemonic:** "Narrow Now, General Goal, Super Scary"

## Question 1(c) OR [7 marks]

**Explain AI ethics and limitations.**

**Answer:**

Ethics Aspect	Description
<b>Privacy</b>	Protecting personal data and user information
<b>Bias</b>	Ensuring fairness across different groups
<b>Transparency</b>	Making AI decisions explainable
<b>Accountability</b>	Determining responsibility for AI actions

**Limitations:**

- **Data dependency:** Requires large, quality datasets
- **Computational power:** Needs significant processing resources
- **Lack of creativity:** Cannot truly create original concepts

**Mnemonic:** "Privacy, Bias, Transparency, Accountability"

## Question 2(a) [3 marks]

**Define the following terms: (1) Well posed Learning Problem (2) Machine Learning.**

**Answer:**

Term	Definition
<b>Well posed Learning Problem</b>	A learning problem with clearly defined task (T), performance measure (P), and experience (E) where performance improves with experience.
<b>Machine Learning</b>	A subset of AI that enables computers to learn and improve automatically from experience without being explicitly programmed.

- **Well posed formula:**  $T + P + E = \text{Learning}$
- **ML advantage:** Automatic improvement from data


**Mnemonic:** "Task, Performance, Experience"

## Question 2(b) [4 marks]

**Explain Reinforcement Learning along with terms used in it.**

**Answer:**

Term	Description
<b>Agent</b>	The learner or decision maker
<b>Environment</b>	The world in which agent operates
<b>Action</b>	What agent can do in each state
<b>State</b>	Current situation of the agent
<b>Reward</b>	Feedback from environment



- **Learning process:** Trial and error approach
- **Goal:** Maximize cumulative reward

**Mnemonic:** "Agent Acts, Environment States and Rewards"

## Question 2(c) [7 marks]

**Compare Supervised, Unsupervised and Reinforcement Learning.**

**Answer:**

Aspect	Supervised	Unsupervised	Reinforcement
Data	Labeled data	Unlabeled data	Interactive data
Goal	Predict output	Find patterns	Maximize reward
Feedback	Immediate	None	Delayed
Examples	Classification	Clustering	Game playing

- **Supervised:** Teacher-guided learning
- **Unsupervised:** Self-discovery learning
- **Reinforcement:** Trial-and-error learning

**Mnemonic:** "Supervised has Teacher, Unsupervised Discovers, Reinforcement Tries"

## Question 2(a) OR [3 marks]

**Write Key features of Reinforcement Learning.**

**Answer:**

Feature	Description
Trial and Error	Learning through experimentation
Delayed Reward	Feedback comes after actions
Sequential Decision	Actions affect future states

- **No supervisor:** Agent learns independently
- **Exploration vs Exploitation:** Balance between trying new actions and using known good actions

**Mnemonic:** "Try, Delay, Sequence"

## Question 2(b) OR [4 marks]

**Explain Types of Reinforcement learning.**

**Answer:**

Type	Description
<b>Positive RL</b>	Adding positive stimulus to increase behavior
<b>Negative RL</b>	Removing negative stimulus to increase behavior

**Based on Learning:**

- **Model-based:** Agent learns environment model
- **Model-free:** Agent learns directly from experience


**Mnemonic:** "Positive Adds, Negative Removes"

## Question 2(c) OR [7 marks]

**Explain approaches to implement Reinforcement Learning.**

**Answer:**

Approach	Description	Example
<b>Value-based</b>	Learn value of states/actions	Q-Learning
<b>Policy-based</b>	Learn policy directly	Policy Gradient
<b>Model-based</b>	Learn environment model	Dynamic Programming



- **Value-based:** Estimates value functions
- **Policy-based:** Optimizes policy parameters
- **Model-based:** Uses environment model

**Mnemonic:** "Value, Policy, Model"

## Question 3(a) [3 marks]

Describe the activation functions ReLU and sigmoid.

Answer:

Function	Formula	Range
ReLU	$f(x) = \max(0, x)$	$[0, \infty)$
Sigmoid	$f(x) = 1/(1 + e^{(-x)})$	$(0, 1)$

- **ReLU advantage:** No vanishing gradient problem
- **Sigmoid advantage:** Smooth gradient, probabilistic output

**Mnemonic:** "ReLU Rectifies, Sigmoid Squashes"

## Question 3(b) [4 marks]

Explain Multi-layer feed forward ANN.

Answer:

Component	Description
Input Layer	Receives input data
Hidden Layers	Process information (multiple layers)
Output Layer	Produces final result
Connections	Forward direction only


- **Information flow:** Unidirectional from input to output
- **No cycles:** No feedback connections

**Mnemonic:** "Input → Hidden → Output (Forward Only)"

## Question 3(c) [7 marks]

Draw the structure of ANN and explain functionality of each of its components.

Answer:



Component	Functionality
Neurons	Processing units that receive inputs and produce outputs
Weights	Connection strengths between neurons
Bias	Additional parameter to shift activation function
Activation Function	Introduces non-linearity to the network

- **Input layer:** Receives and distributes input data
- **Hidden layers:** Extract features and patterns
- **Output layer:** Produces final classification or prediction
- **Connections:** Weighted links between neurons

**Mnemonic:** "Neurons with Weights, Bias, and Activation"

## Question 3(a) OR [3 marks]

**Write a short note on Backpropagation.**

**Answer:**

Aspect	Description
Purpose	Training algorithm for neural networks
Method	Gradient descent with chain rule
Direction	Backward error propagation

- **Process:** Calculate error gradients backwards through network
- **Update:** Adjust weights to minimize error

**Mnemonic:** "Back-ward Error Propagation"

## Question 3(b) OR [4 marks]

**Explain Single-layer feed forward network.**

**Answer:**

Feature	Description
Structure	Input layer directly connected to output layer
Layers	Only input and output layers
Limitations	Can only solve linearly separable problems
Example	Perceptron


- **Capability:** Limited to linear decision boundaries
- **Applications:** Simple classification tasks

**Mnemonic:** "Single Layer, Linear Limits"

## Question 3(c) OR [7 marks]

**Draw and explain the architecture of Recurrent neural network.**

**Answer:**



Component	Function
Hidden State	Maintains memory of previous inputs
Recurrent Connection	Feedback from hidden state to itself
Sequence Processing	Handles sequential data

- **Memory:** Retains information from previous time steps
- **Applications:** Language modeling, speech recognition
- **Advantage:** Can process variable-length sequences

**Mnemonic:** "Recurrent Remembers, Loops Back"

## Question 4(a) [3 marks]

**Define NLP and write down advantages of it.**



**Answer:**

Term	Definition
<b>NLP</b>	Natural Language Processing - enables computers to understand, interpret, and generate human language

**Advantages:**

- **Human-computer interaction:** Natural communication
- **Automation:** Automated text processing and analysis
- **Accessibility:** Voice interfaces for disabled users

**Mnemonic:** "Natural Language, Natural Interaction"

## Question 4(b) [4 marks]

**Compare NLU and NLG.**

**Answer:**

Aspect	NLU (Understanding)	NLG (Generation)
<b>Purpose</b>	Interpret human language	Generate human language
<b>Input</b>	Text/Speech	Structured data
<b>Output</b>	Structured data	Text/Speech
<b>Examples</b>	Sentiment analysis	Text summarization

- **NLU:** Converts unstructured text to structured data
- **NLG:** Converts structured data to natural text

**Mnemonic:** "NLU Understands, NLG Generates"

## Question 4(c) [7 marks]

**Explain word tokenization and frequency distribution of words with suitable example.**

**Answer:**

Process	Description	Example
<b>Tokenization</b>	Breaking text into individual words/tokens	"Hello world" → ["Hello", "world"]
<b>Frequency Distribution</b>	Counting occurrence of each token	{"Hello": 1, "world": 1}

**Example:**

Text: "The cat sat on the mat"

Tokens: ["The", "cat", "sat", "on", "the", "mat"]

Frequency: {"The": 1, "cat": 1, "sat": 1, "on": 1, "the": 1, "mat": 1}

- **Case sensitivity:** "The" and "the" counted separately
- **Applications:** Text analysis, search engines
- **Preprocessing:** Essential step for NLP tasks

**Mnemonic:** "Tokenize then Count"

## Question 4(a) OR [3 marks]

List disadvantages of NLP.

**Answer:**

Disadvantage	Description
Ambiguity	Multiple meanings of words/sentences
Context dependency	Meaning changes with context
Language complexity	Grammar rules and exceptions

- **Cultural variations:** Different languages, dialects
- **Computational cost:** Resource-intensive processing

**Mnemonic:** "Ambiguous, Contextual, Complex"

## Question 4(b) OR [4 marks]

Explain types of ambiguities in NLP.

**Answer:**

Type	Description	Example
Lexical	Word has multiple meanings	"Bank" (financial/river)
Syntactic	Multiple parse trees possible	"I saw a man with a telescope"
Semantic	Multiple interpretations	"Flying planes can be dangerous"

- **Resolution:** Context analysis, statistical models
- **Challenge:** Major hurdle in NLP systems

**Mnemonic:** "Lexical words, Syntactic structure, Semantic meaning"

## Question 4(c) OR [7 marks]

Explain stemming words and parts of speech(POS) tagging with suitable example.

Answer:

Process	Description	Example
<b>Stemming</b>	Reducing words to root/stem form	"running" → "run", "flies" → "fli"
<b>POS Tagging</b>	Assigning grammatical categories	"The/DT cat/NN runs/VB fast/RB"

**Stemming Example:**

Original: ["running", "runs", "runner"]  
 Stemmed: ["run", "run", "runner"]

**POS Tagging Example:**

Sentence: "The quick brown fox jumps"  
 Tagged: "The/DT quick/JJ brown/JJ fox/NN jumps/VB"

- **Stemming purpose:** Reduce vocabulary size, group related words
- **POS purpose:** Understand grammatical structure
- **Applications:** Information retrieval, grammar checking

**Mnemonic:** "Stem to Root, Tag by Grammar"

## Question 5(a) [3 marks]

Define the term word embedding and list various word embedding techniques.

Answer:

Term	Definition
<b>Word Embedding</b>	Dense vector representations of words that capture semantic relationships

**Techniques:**

- **TF-IDF:** Term Frequency-Inverse Document Frequency
- **Bag of Words (BoW):** Simple word occurrence counting
- **Word2Vec:** Neural network-based embeddings

**Mnemonic:** "TF-IDF counts, BoW bags, Word2Vec vectorizes"

## Question 5(b) [4 marks]

**Explain about Challenges with TF-IDF and BoW.****Answer:**


Method	Challenges
TF-IDF	Sparse vectors, no semantic similarity, high dimensionality
BoW	Order ignored, context lost, sparse representation

**Common Issues:**

- **Sparsity:** Most vector elements are zero
- **No semantics:** Similar words have different vectors
- **High dimensions:** Memory and computation intensive

**Mnemonic:** "Sparse, No Semantics, High Dimensions"**Question 5(c) [7 marks]****Explain applications of NLP with suitable examples.****Answer:**

Application	Description	Example
Machine Translation	Translate between languages	Google Translate
Sentiment Analysis	Determine emotional tone	Product review analysis
Question Answering	Answer questions from text	Chatbots, virtual assistants
Spam Detection	Identify unwanted emails	Email filters
Spelling Correction	Fix spelling errors	Auto-correct in text editors



- **Real-world impact:** Improves human-computer interaction
- **Business value:** Automates text processing tasks
- **Growing field:** New applications emerging constantly

**Mnemonic:** "Translate, Sentiment, Question, Spam, Spell"**Question 5(a) OR [3 marks]**

**Describe the Glove(Global Vector for word representation).****Answer:**

Aspect	Description
<b>Purpose</b>	Create word vectors using global corpus statistics
<b>Method</b>	Combines global matrix factorization and local context
<b>Advantage</b>	Captures both global and local statistical information

- **Global statistics:** Uses word co-occurrence information
- **Pre-trained:** Available trained vectors for common use

**Mnemonic:** "Global Vectors, Local Context"**Question 5(b) OR [4 marks]****Explain the Inverse Document Frequency (IDF).****Answer:**

Component	Formula	Purpose
<b>IDF</b>	$\log(N/df)$	Measure word importance across documents
<b>N</b>	Total documents	Corpus size
<b>df</b>	Document frequency	Documents containing the term

- **High IDF:** Rare words (more informative)
- **Low IDF:** Common words (less informative)
- **Application:** Part of TF-IDF weighting scheme

**Mnemonic:** "Inverse Document, Rare is Important"**Question 5(c) OR [7 marks]****Explain calculation of TF(Term Frequency) for a document with suitable example.****Answer:**

Method	Formula	Description
<b>Raw TF</b>	$f(t,d)$	Simple count of term in document
<b>Normalized TF</b>	$f(t,d)/\max(f(w,d))$	Normalized by maximum frequency
<b>Log TF</b>	$1 + \log(f(t,d))$	Logarithmic scaling

**Example Document:** "The cat sat on the mat. The mat was soft."

Term	Count	Raw TF	Normalized TF	Log TF
"the"	3	3	1.0	1.48
"cat"	1	1	0.33	1.0
"mat"	2	2	0.67	1.30

**Calculation Steps:**

1. Count each term occurrence
2. Apply chosen TF formula
3. Use in TF-IDF calculation

**Mnemonic:** "Count, Normalize, Log"